



3-phase Solid State Relays & Contactors



A visionary range !

In conformity with :
 -IEC/EN60947-4-2 for motor control
 -IEC/EN60947-4-3 for the other loads
 -IEC62314



Superior design, easy to install, optimum lifespan and price-effectiveness are delivered with the new generation of three-phase Solid State Relays : cel3pac and sightpac ranges.

To download our leaflet - [click here](#)

sightpac



- > Compact 45mm version,
- > Fixing screws compatible with okpac® and celpac® ranges

References available :
 -[SMB](#) : 2 leg three-phase SSRs
 -[SMT](#) : Three-phase SSRs
 -[SMT](#) - "Ready to use" version

> Power wiring



> Control wiring

Upcoming exhibitions :

E&A 2017
Utrecht - THE NETHERLANDS
 From the 30th of May to the 1st of June 2017
 Exhibitor : Elincom
 Hall 7 Booth 0033

Pumps & Valves Asia 2017
Bangkok - THAILAND
 From the 07th to the 10th of June 2017
 Exhibitor : Primus Themtech Co. Ltd.

ProPak Asia 2017
Bangkok - THAILAND
 From the 14th to the 17th of June 2017
 Exhibitor : Primus Themtech Co. Ltd.
 Hall 98 Stand AJ55

New buildings to challenge the future !



Building extension is nearing completion ...[Read more](#)



celduc® relais will be closed weeks 32-33 for summer holidays. There will be someone duty in the sales and technical departments during that period.



cel3pac



- > 100mm version,
- > Low profile : height 34,7mm,
- > Better performance terminals to reach higher thermal current limits,
- > Large power connections : up to 50mm² (AWG1)

References available :

- [SGB](#) : 2 leg three-phase SSRs
- [SGT](#) : Three-phase SSRs
- [SGT](#) - "ready to use" version

> Power wiring



> Control wiring



Typical applications

-AC-51 : Electrical heaters



Subscribe your colleagues to the celduc® relais 's Newsletter and they will receive the latest news !
[Click here](#)



Tel. Sales department France:
 +33 (0) 4 77 53 90 20

Tel. Export Europe :
 +33 (0) 4 77 53 90 21

Tel. Export Asia :
 + 33 (0) 4 77 53 90 19

Tel. Export America :
 + 33 (0) 4 77 53 90 21

celduc-relais@celduc.com

www.celduc-relais.com



For more information about [celduc® transfo](#), part of celduc® group and manufacturer of immersed power transformers from 50kVA to 17MVA : [visit its website !](#)



Magnetic Proximity Sensors - UL approved



products at [POWER-GEN](#) in Köln - GERMANY - from the 27th to the 29th of June (stand U67).

celduc® relais offers some magnetic proximity sensors manufactured in compliance with UL standard.

References available :

-[PSA60010](#) - Safety Sensors - 24-440Vac - 2A

-[PLA1010U](#) - contact status : 1NO - 100Vdc - 0,5A - Max. switching power : 10VA - 2 wires 300mm

-[PLA12435U](#) - contact status : 1NO - 100Vdc - 0,4A - Max. switching power : 10VA - 350mm cable

-[PLC12425U](#) - change-over contact - 100Vdc - 250mA - Max. switching power : 3VA (NC) 8VA (NO) - 106cm cable

Other versions available on request : NO (Normally open contact), NC (Normally closed contact) or change-over contact ; in different housing types : PA, PL or PT. Please do not hesitate to consult us.



You can delete your subscription at any time,
(according to the article 34 of the french law concerning the computer science laws).

To unsubscribe to the mailing list - [Click here](#)